

T7N

R3E



**Office of the Monroe County Surveyor**  
**Trohn Enright-Randolph**

---

Health Services Building  
119 West 7<sup>th</sup> Street  
Bloomington, IN 47404  
Phone: (812) 349-2570

Dear User,

The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Jackson County are stored on microfilm Reel 7545 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at [SurveyorsOffice@co.monroe.in.us](mailto:SurveyorsOffice@co.monroe.in.us) to request a higher quality image of any specific page.


The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.

Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.

If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.

Trohn Enright-Randolph  
Monroe County Surveyor





Township N. VII North of the Base Line, Range N. III East of the 2<sup>nd</sup> Meridian. Surveyed by A. Henric 1815  
 & James Hedges 1819

Description of the Soil on the interior Sectional lines.

Between Sections	Quality &c.	Between Sections	Between Sections
33.36	Land hilly - Timber Oak, Hickory & Beech - Ang <sup>l</sup> & Dogwood, Oak & Hickory	33.34	Land hilly - Timber Oak & Hickory
25.36	ditto	27.34	ditto
25.26	ditto	27.25	ditto
24.25	ditto	22.27	Land Rolling - Timber Same
23.24	ditto	21.22	Land level - Timber Poplar, Walnut & Dogwood
13.24	ditto	15.22	Land Rolling - Timber Same
13.14	ditto	15.16	ditto
14.19	ditto	10.15	ditto
1.12	ditto	9.10	Land very hilly - Timber Oak & Hickory
12.13	ditto	3.10	ditto
34.38	ditto - Timber - Chestnut, Oak & Gum	3.14	ditto
26.38	ditto	32.33	Thin Soil - Timber Same
26.27	ditto	28.33	ditto
23.26	ditto	28.29	Land level - Timber Poplar, Beech & Sugar
22.23	Rolling - Timber Oak & Hickory	21.25	ditto
14.23	ditto	20.21	Land Rolling thin Soil - Timber Oak & Hickory
14.15	ditto	16.21	ditto
11.14	ditto	17.16	ditto
10.11	ditto	9.16	ditto
17.2	ditto	8.9	ditto
2.3	ditto	4.9	ditto
		4.5	ditto
		31.32	Land hilly thin Soil - Timber Oak, Hickory & Poplar
		29.33	ditto
		29.30	ditto
		20.29	ditto
		19.20	ditto
		17.20	ditto
		17.18	ditto
		17.8	ditto
		7.8	ditto
		5.8	ditto
		5.6	ditto
		6.7	ditto
		7.18	ditto
		18.19	ditto
		19.30	ditto
		30.31	ditto



# Township N. 7 North, Range N. 3 East 2<sup>nd</sup> Mer.

Range line -	Var.	North	On the East Side of Sec. 13
North Between Ranges 3 & 4 East Township North	March 24 <sup>th</sup> 1884	15.00	A. Chesnut Oak 15 in. diam.
On the East of Sec. 36		20.00	A. Brook 6 lks N.W.
8.00 A. Brook 5 lks S.W.		40.00	gr. Sec. corner W. Oak 8 S 30 E 11
28.00 A. W. Oak 2 in. diam.			do 4 S 4 W 5
40.00 gr. Sec. corner W. Oak 15. Corner tree		40.50	A. Brook 15 lks West
Brook 10 S 34 E 20		60.00	A. W. Oak 18 in. diam.
June 13 S 12 W 40		80.00	Set post corner to Sec. 12 S 12 E 27
55.00 A. W. Oak 12 in. diam.			Poor Shilly Brook & Oak land
80.00 Set post corner to Sec. 25 S 36		North On the East Side of Sec. 12	
W. Oak 20 S 58 E 14		2.50	A. Brook 50 lks West
do 12 S 28 W 21		8.25	A. Brook 15 in. diam.
Shilly Oak land S.		30.75	A. Post on Boundary line
North On the East Side of Sec. 25			do 14 S 12 E 44
25.00 A. Brook 8 lks North			Brook 13 S 77 E 18
34.50 A. Brook 12 lks S.E.			Land of Medling quality Oak Brook S.
38.00 A. W. Oak 16 in. diam.			Surveyed by Alex. Holmes D. S.
40.00 gr. Sec. corner W. Oak 20 S 61 W 25		North of the old Boundary	
Logwood 5 S 48 E 19		12.00	gr. Sec. corner W. Oak 12 S 53 W 24
61.00 A. W. Oak 13 in. diam.			Oak Oak 20 S 31 E 17
75.50 A. Brook 10 lks S.E.		39.35	A. Brook 25 lks S.E.
80.00 Set post corner to Sec. 24 S 25		53.00	North of Boundary to Sec. 1 S 12
Brook 12 S 64 E 10			W. Oak 10 S 31 W 26
Maple 18 S 84 W 70			Hickory 8 S 53 E 17
Shilly Oak land			Shilly Oak land. Oak. Hickory. Brook
North On the East Side of Sec. 24			Ang <sup>th</sup> Sassafras
40.00 gr. Sec. corner. Chas. Oak 12 corner tree			Surveyed by John Mc. Donald D. S.
W. Oak 13 S 13 E 27		North On E. side of Sec. 1.	
Hickory 8 S 20 W 18		4.10	Branch 5 E 1/2 mile course W.
46.50 A. Brook 8 lks East		40.00	Set gr. post from which
61.00 A. Brook 20 in. diam.			W. Oak 13 S 65 E 42 1/2
80.00 Set post corner to Sec. 13 S 24			do 20 N 53 W 55
Brook 10 S 75 W 14		80.00	Set post cor to Towns 7 & 8 N. R. S
do 15 S 36 E 24			38 1/2 E. from which
Poor Shilly Oak & Hickory land			W. Oak 24 N. 64 E 11
			Logwood 4 S. 63 W 06.
			Broken Land Limber Oak
			Brook &c

Township lines	West	On the South Side of Sec. 33
West Between Townships 6 & 7 Range 3 East	30.00	A. Brook 3 lks South
On the South Side of Sec. 36	35.00	Same - South
10.00 A. Brook 3 lks South	40.00	gr. Sec. corner W. Oak 14 S 42 E 4
17.50 A. Poplar 36 in. diam.		do 14 S 3 W 12
31.00 A. Brook 50 lks South	50.00	A. Brook 3 lks South
35.00 Locust Brook	80.00	Set post corner to Sec. 32 S 33
40.00 gr. Sec. corner Brook 18 S 65 E 26		Brook 18 S 65 E 3
do 18 S 56 W 30		do 18 S 30 W 45
80.00 Set post corner of Sec. 35 S 36		Land Shilly Stony & poor Oak. Chas. S.
W. Oak 16 S 30 E 12	West On the South Side of Sec. 32	
do 12 S 83 W 47	1.00	A. Brook 4 lks South
Shilly Poor land. Brook. Oak S.	24.00	A. Brook 4 lks South
West On the South Side of Sec. 35	28.00	A. Brook 3 lks South
5.50 A. Brook 5 lks South	40.00	gr. Sec. corner W. Oak 8 S 44 E 13
37.00 A. Brook 5 lks S.E.		Brook 8 S 35 W 16
40.00 gr. Sec. corner June 30 S 42 W 11	65.00	A. Brook 5 lks East
Brook 8 S 59 E 29	80.00	Set post corner to Sec. 31 S 32
80.00 Set post corner to Sec. 34 S 35		Maple 18 S 33 W 7
W. Oak 12 S 40 W 17		do Oak 8 S 5 E 13
June 16 S 35 E 28		Just a Shilly Stony Oak land last 1/2
Shilly Poor Oak land & Stony		level Brook land
West On the South Side of Sec. 34	West On the South Side of Sec. 31	
24.00 A. Brook 3 lks South	18.00	A. Brook 100 lks North
40.00 gr. Sec. corner Chas. Oak 12 S 64 E 8	40.00	gr. Sec. corner W. Oak 12 S 43 E 20
do 14 S 30 W 19		Brook 12 Set W 12
49.00 A. Brook 4 lks South	60.00	A. Brook 10 lks North
55.00 A. W. Oak 16 in. diam.	80.00	Set temporary post
72.00 A. Brook 3 lks South		First half level Bottom land last half
80.00 Set post corner of Sec. 33 S 34		Shilly Oak land
Brook Oak 24 S 61 E 30		Surveyed by Alex. Holmes D. S.
W. Oak 8 S 8 W 24		
Land & timber as above		



Subdivisions of Township 10 N. & Range 3 E		North Between Sec. 23 & 24	
North Between Sec. 35 & 36		40.00	gr. Sec. corner Beech 12 ft 65 E 28
40.00	gr. Sec. corner Oak 10 ft 4 W 14		Sugar 15 ft 77 E 24
	do 15 ft 36 E 23	80.00	Set post corner to Sec. 13, 14, 23, 24
70.00	A. Brook 12 lbs S. E		W. Oak 20 ft 26 E 8
80.00	Set post corner to Sec. 25, 26, 35, 36		Beech 12 ft 56 W 11
	Beech 10 ft 55 E 13		Land the Same
	do 18 ft 12 E 9	East Between Sec. 13 & 24 On Prandons	
	Land Hilg. Oak, Hickory & Beech. 10 ft 40 W 20	40.00	Temporary gr. Sec. post
East Between Sec. 25 & 36 On Prandons		80.00	Intersected N. & S. line, 50 lbs S. of corner
34.00	A. Brook 10 lbs South		Land the Same
40.00	Temporary gr. Sec. post	West Corrected	
79.90	Intersected N. & S. line at Sec. corner	40.00	gr. Sec. corner Beech 8 ft 40 E 13
	Land as above		do 10 ft 53 W 8
West Corrected		80.00	Section corner
39.95	gr. Sec. corner Beech 12 East 5	North Between Sec. 13 & 14	
	No other trees noted	7.10	A. Brook 20 lbs West
79.90	Section corner	40.00	gr. Sec. corner Beech 15 ft 56 W 13
North Between Sec. 25 & 26			Hickory 12 ft 30 W 19
40.00	gr. Sec. corner Beech 18 ft 42 W 13	16.00	A. Brook 12 lbs West
	do 6 ft 78 E 29	80.00	Set post corner of Sec. 11, 12, 13, 14
25.15	A. D. Oak 20 in. diam.		Beech 20 ft 48 W 35
80.00	Set post corner to Sec. 23, 24, 25, 26		do 10 ft 18 W 32
	W. Oak 8 ft 17 W 9		Land the Same
	Hickory 7 ft 32 E 13	North Between Sec. 11 & 12	
	Land the Same	30.00	A. D. Oak 20 in. diam.
East Between Sec. 24 & 25 On Prandons		40.00	gr. Sec. corner Oak 20 ft 37 W 8
23.00	A. Brook S. E		do - ft 16 E 28
40.00	Temporary gr. Sec. post	80.00	Set post corner of Sec. 1, 2, 11, 12
80.14	Intersected N. & S. line 55 lbs South of corner		W. Oak 12 ft 30 E 13
	Land the Same		B. Oak 20 ft 55 W 16
West Corrected			Land the Same
40.07	gr. Sec. corner Beech 8 ft 50 E 13	North Between Sec. 1 & 2	
	do 10 ft 9 W 20	8.90	Set post on the boundary
80.14	Section corner		W. Oak 22 ft 2 W 28 do 12 ft 14 W 22
			Land the Same

East Between Sec. 1 & 12		80.00 Set post corner of Sec. 22, 23, 26, 27	
11.96	Set post on the boundary		Sugar 10 ft 40 E 9
	Ironwood 8 ft 77 W 17		Hickory 3 ft 2 W 5
	Hickory 10 ft 58 W 44		Land the Same
	Land the Same	East Between Sec. 23 & 26 On Prandons	
East Between Sec. 12 & 13 On Prandons		40.00	Temporary gr. Sec. post
40.00	Temporary gr. Sec. post	80.27	Intersected N. & S. line, 56 lbs South of corner
72.00	A. Brook 12 lbs South		Land the Same
78.69	Intersected N. & S. line at Sec. corner	West Corrected	
	Land the Same	40.18 1/2	gr. Sec. corner Oak 18 ft 65 E 15
West Corrected			do 20 ft 17 E 28
39.34 1/2	gr. Sec. corner Sugar 12 ft 34 E 13	80.27	Section corner
	Beech 12 ft 21 E 31	North Between Sec. 22 & 23	
78.69	Section corner	19.50	A. W. Oak 18 in. diam.
North Between Sec. 34 & 35		40.00	gr. Sec. corner Beech 20 ft 63 E 10
40.00	gr. Sec. corner Oak 20 ft 60 E 7		do 3 ft 19 E 12
	Hickory 3 ft 23 E 16	63.50	A. Brook 30 lbs West
80.00	Set post corner of Sec. 26, 27, 34, 35	80.00	Set post corner of Sec. 14, 15, 22, 23
	Gum 20 ft 70 W 18		W. Walnut 4 ft 11 E 18
	Beech 6 ft 17 W 18		do 3 ft 16 E 10
	Land Hilg. Oak, Ches. Oak & Gum		Land the Same
East Between Sec. 26 & 35 On Prandons		East Between Sec. 14 & 23 On Prandons	
40.00	Temporary gr. Sec. post	20.00	A. Brook 20 lbs S. W
79.00	A. Brook 10 lbs South	40.00	Temporary gr. Sec. post
80.34	Intersected N. & S. line, 36 lbs S. of corner	60.00	A. Brook 15 lbs S. W
	Land the Same	80.50	Intersected N. & S. line, 80 lbs South of corner
West Corrected			Land the Same
40.17	gr. Sec. corner W. Oak 24 ft 48 E 14	West Corrected	
	Beech 12 ft 68 E 34	40.25	gr. Sec. corner Sugar 12 ft 58 E 11
80.34	Section corner		Chm 10 ft 75 W 18
North Between Sec. 26 & 27		80.50	Section corner
40.00	gr. Sec. corner Oak 10 ft 14 E 23	North Between Sec. 14 & 15	
	Beech 3 ft 45 E -	40.00	gr. Sec. corner W. Oak 20 ft 39 W 19
			Gum 8 ft 14 E 23



55.50 A. Brook 10 lbs S.W.  
 50.00 Set post corner of Sec<sup>s</sup> 10, 11, 14, 15  
 Gum 15 ft 63, 1173  
 Ironwood 3 558 W4  
 Sand Rolling, Timber Oak & Hickory  
 East Between Sec<sup>s</sup> 11 & 14 On Trandone  
 40.00 Temporary gr. Sec. post  
 80.39 Intersected N & S line 20 lbs South of corner  
 Sand the same  
 West corrected  
 40.19 gr. Sec. corner Poplar 24 ft 26 W12  
 Beech 5 ft 11 E24  
 80.89 Section corner  
 North Between Sec<sup>s</sup> 10 & 11  
 40.50 gr. Sec. corner Dogwood 4 ft 11 E12  
 W. Oak 5 ft 71 W14  
 80.00 Set post corner of Sec<sup>s</sup> 2, 3, 10, 11  
 W. Oak 15 West 16  
 do 24 ft 32 W21  
 Sand the same  
 East Between Sec<sup>s</sup> 2 & 11 On Trandone  
 40.00 Temporary gr. Sec. post  
 80.45 Intersected N & S line 29 lbs South of corner  
 Sand the same  
 West corrected  
 40.22 gr. Sec. corner Hickory 10 ft 5 E10  
 W. Oak 30 ft 43 W74  
 80.45 Section corner  
 North Between Sec<sup>s</sup> 2 & 3  
 40.00 gr. Sec. corner W. Oak 20 ft 39 E24  
 do 8 ft 19 W74  
 72.34 Set post on the North Boundary of Section  
 corner W. Oak 20 ft 40 W2  
 do 15 ft 47 E14  
 Sand the same

North Between Sec<sup>s</sup> 33 & 34  
 40.00 gr. Sec. corner Gum 12 ft 50 E16  
 Ironwood 3 558 W4  
 80.00 Set post corner of Sec<sup>s</sup> 27, 28, 33, 34  
 W. Oak 13 ft 17  
 Sugar 12 ft 35 W25  
 Sand Hilly, Timber Oak & Hickory  
 East Between Sec<sup>s</sup> 27 & 34 On Trandone  
 40.00 Temporary gr. Sec. post  
 80.00 Intersected N & S line 8 lbs S. of corner  
 Sand the same  
 West corrected  
 40.00 gr. Sec. corner Beech 10 ft 40 W8  
 do 3 ft 56 E13  
 80.00 Section corner  
 North Between Sec<sup>s</sup> 27 & 28  
 40.00 gr. Sec. corner W. Oak 8 ft 8 W8  
 Beech 12 ft 86 E22  
 50.00 A. Brook 50 lbs S.W.  
 80.00 Set post corner of Sec<sup>s</sup> 21, 22, 27, 28  
 Beech 3 ft 41 W  
 W. Oak 26 ft 84 E31  
 Sand the same  
 East Between Sec<sup>s</sup> 22 & 27 On Trandone  
 40.00 Set temporary gr. Sec. post  
 42.00 A. Brook 30 lbs S.W.  
 77.33 Intersected N & S line 19 lbs S. of corner  
 Sand Rolling, Oak & Hickory  
 West corrected  
 39.66 gr. Sec. corner Elm & 3 East 1  
 77.33 Section corner  
 North Between Sec<sup>s</sup> 21 & 22  
 40.00 gr. Sec. corner Ironwood 3 ft 35 W22  
 do 3 ft 69 E4

80.00 Set post corner of Sec<sup>s</sup> 15, 16, 21, 22  
 Walnut 10 ft 51 E19  
 Elm 10 ft 12 W15  
 Sand level, Poplar, Walnut & Sugar  
 East Between Sec<sup>s</sup> 15 & 22 On Trandone  
 2.00 A. Brook 15 lbs S.E.  
 40.00 Temporary gr. Sec. post  
 77.40 Intersected N & S line 17 lbs North of corner  
 Sand Rolling, Poplar, Walnut & Sugar  
 West corrected  
 39.70 gr. Sec. corner B. Oak 10 ft 58 W12  
 W. Oak 20 ft 15 E29  
 77.40 Section corner  
 North Between Sec<sup>s</sup> 15 & 16  
 35.00 A. Brook 18 lbs S.E.  
 40.00 gr. Sec. corner Ironwood 12 ft 15 W15  
 Beech 20 ft 88 E24  
 45.00 A. W. Oak 36 in. diam.  
 80.00 Set post corner of Sec<sup>s</sup> 9, 10, 15, 16  
 Hickory 4 ft 5 E15  
 do 5 ft 19 W5  
 Sand & timber the same  
 East Between Sec<sup>s</sup> 10 & 15 On Trandone  
 24.00 A. Brook 9 lbs South  
 40.00 Temporary gr. Sec. post  
 77.50 Intersected N & S line 7 lbs S. of corner  
 Sand the same  
 West corrected  
 39.75 gr. Sec. corner W. Oak 20 ft 46 E29  
 do 12 ft 8 W16  
 77.50 Section corner  
 North Between Sec<sup>s</sup> 9 & 10  
 40.00 gr. Sec. corner Oak 30 ft 2 W21  
 Maple 8 ft 41 W5

80.00 Set post corner of Sec<sup>s</sup> 3, 4, 9, 10  
 Chesnut Oak 20 corner tree  
 No other tree noted  
 Sand very Hilly, Timber Oak & Poplar  
 East Between Sec<sup>s</sup> 3 & 10 On Trandone  
 40.00 Temporary gr. Sec. post  
 77.65 Intersected N & S line 34 lbs North of corner  
 Sand the same  
 West corrected  
 39.82 gr. Sec. corner Ironwood 8 ft 4 E13  
 B. Oak 4 ft 3 W8  
 77.65 Section corner  
 North Between Sec<sup>s</sup> 3 & 4  
 40.00 gr. Sec. corner Hickory 8 ft 20 E12  
 B. Oak 6 ft 44 W14  
 80.64 Set post on the S. Boundary 76 lbs N. of corner  
 Beech 20 ft 45 W14  
 B. Oak 5 ft 80 E24  
 Sand the same  
 North Between Sec<sup>s</sup> 32 & 33  
 40.00 gr. Sec. corner B. Oak 8 corner tree  
 80.00 Set post corner of Sec<sup>s</sup> 28, 29, 32, 33  
 Chesnut 8 ft 26 W12  
 do 10 ft 27 E14  
 Sand Hilly thin soil, timber the same  
 East Between Sec<sup>s</sup> 28 & 33 On Trandone  
 40.00 Temporary gr. Sec. post  
 48.00 A. Brook 20 lbs North  
 74.00 A. Brook 13 lbs S.E.  
 80.00 Intersected N & S line 10 lbs North of corner  
 Sand the same  
 West corrected  
 40.00 gr. Sec. corner Sugar 13 ft 54 E17  
 Ironwood 3 ft 63 E14  
 80.00 Section corner



North Between Sec<sup>s</sup> 25 & 29  
 10.00 gr. Sec. corner Beech 3 S 46 E 17  
 do 15 N 89 W 17  
 50.00 H. Brook 100 lbs S. W  
 80.00 Set post corner to Sec<sup>s</sup> 20, 21, 28, 29  
 Beech 10, corner tree  
 No other trees, notes  
 Sand level & Rich, Poplar, Beech, Sugar P.  
 East Between Sec<sup>s</sup> 21 & 28 On Random  
 29.00 H. Brook 12 lbs S. E  
 40.00 Temporary gr. Sec. post  
 79.00 Intersected N & S line 10 lbs North of corner  
 Sand the same  
 West Corrected  
 39.50 gr. Sec. corner Beech 25 S 45 W 8  
 do 12 S 47 E 14  
 79.00 Section corner  
 North Between Sec<sup>s</sup> 20 & 21  
 40.00 gr. Sec. corner W. Oak 12 S 34 E 17  
 do 15 S 67 W 33  
 80.00 Set post corner of Sec<sup>s</sup> 16, 17, 20, 21  
 B. Oak 3 S 36 E 20  
 W. Oak 15 S 43 W 20  
 Sand Nothing, thin soil, Oak & Hickory  
 East Between Sec<sup>s</sup> 16 & 21 On Random  
 40.00 Temporary gr. Sec. post  
 79.80 Intersected N & S line 27 lbs South of corner  
 Sand the same  
 West Corrected  
 39.90 gr. Sec. corner B. Oak 12 S 40 W 20  
 do 10 S 46 E 17  
 79.80 Section corner

North Between Sec<sup>s</sup> 16 & 17  
 39.00 H. Sugar 20 in. diam.  
 40.00 gr. Sec. corner Beech 15 S 45 W 30  
 do 15 S 79 W 35  
 80.00 Set post corner of Sec<sup>s</sup> 8, 9, 16, 17  
 B. Oak 30 S 13 E 21  
 Poplar 5 S 27 E 9  
 Sand Nothing, thin soil, Oak & Gum  
 East Between Sec<sup>s</sup> 9 & 16 On Random  
 40.00 Temporary gr. Sec. post  
 80.12 Intersected N & S line 37 lbs S. of corner  
 Sand the same  
 West Corrected  
 40.00 gr. Sec. corner W. Oak 17 S 47 W 4  
 W. Oak 20 S 49 E 39  
 80.12 Section corner  
 North Between Sec<sup>s</sup> 8 & 9  
 17.11 H. Beech 15 in. diam.  
 40.00 gr. Sec. corner B. Oak 8 S 22 E 11  
 do 10 S 61 E 21  
 80.00 Set post corner of Sec<sup>s</sup> 4, 5, 8, 9  
 B. Oak - S 78 W 18  
 Hickory 6 S 66 W 16  
 Sand the same  
 East Between Sec<sup>s</sup> 4 & 9 On Random  
 40.00 Temporary gr. Sec. post  
 79.87 Intersected N & S line 22 lbs S. of corner  
 Sand the same  
 West Corrected  
 39.82 gr. Sec. corner W. Oak 15 S 24 E 5  
 do 15 S 55 W 16  
 79.87 Section corner  
 North Between Sec<sup>s</sup> 4 & 5  
 10.40 H. B. Oak 25 in. diam.

40.00 gr. Sec. corner B. Oak 15 S 35 E 12  
 Hickory 12 S 80 E 7  
 80.55 Set post on the boundary 60 lbs N. of corner  
 B. Oak 10 S 60 W 13  
 do 8 S 79 E 14  
 Sand the same  
 North Between Sec<sup>s</sup> 31 & 32  
 40.00 gr. Sec. corner W. Walnut 8 S 14 W 18  
 Poplar 3 S 43 E 8  
 80.00 Set post corner of Sec<sup>s</sup> 29, 30, 31, 32  
 Hickory 31 South 1  
 Sand Hick, thin soil, Oak, Hickory & Poplar  
 East Between Sec<sup>s</sup> 29 & 32 On Random  
 40.00 Temporary gr. Sec. post  
 80.00 Intersected N & S line 10 lbs S. of corner  
 Sand the same  
 West Corrected  
 40.00 gr. Sec. corner Hickory 3 S 7 E 9  
 Poplar 3 S 65 E 7  
 80.00 Section corner  
 North Between Sec<sup>s</sup> 29 & 30  
 40.00 gr. Sec. corner W. Oak 15 S 25 E 5  
 do 10 S 53 W 16  
 60.00 H. Brook 75 lbs S. W  
 80.00 Set post corner of Sec<sup>s</sup> 19, 20, 29, 30  
 Maple 6 S 89 W 4  
 do 6 S 78 E 23  
 Sand the same  
 East Between Sec<sup>s</sup> 20 & 29 On Random  
 40.00 Temporary gr. Sec. post  
 79.70 Intersected N & S line 33 lbs N. of corner  
 Sand the same  
 West Corrected  
 39.85 gr. Sec. corner Poplar 3 S 17 E 23  
 do 6 S 12 E 31  
 79.20 Section corner

North Between Sec<sup>s</sup> 19 & 20  
 40.00 gr. Sec. corner Beech 3 S 28 W 7  
 do 3 S 10 E 8  
 80.00 Set post corner to Sec<sup>s</sup> 17, 18, 19, 20  
 B. Oak 20 S 75 E 19  
 W. Oak 15 S 43 E 27  
 Sand the same  
 East Between Sec<sup>s</sup> 17 & 20 On Random  
 40.00 Temporary gr. Sec. post  
 79.10 Intersected N & S line 50 lbs North of corner  
 Sand the same  
 West Corrected  
 39.55 gr. Sec. corner Chis. Oak 22 S 2 W 18  
 do 25 S 75 E 25  
 79.10 Section corner  
 North Between Sec<sup>s</sup> 17 & 18  
 40.00 gr. Sec. corner B. Oak 8 S 23 E 11  
 do 8 S 81 W 16  
 80.00 Set post corner of Sec<sup>s</sup> 7, 8, 17, 18  
 Chis. Oak 20 S 46 E 23  
 Beech 15 S 8 W 30  
 Sand the same  
 East Between Sec<sup>s</sup> 8 & 17 On Random  
 40.00 Temporary gr. Sec. post  
 80.59 Intersected N & S line 22 lbs North of corner  
 Sand the same  
 West Corrected  
 40.29 gr. Sec. corner B. Oak 18 S 81 W 15  
 do 10 S 60 E 11  
 80.59 Section corner  
 North Between Sec<sup>s</sup> 7 & 8  
 15.00 H. Brook 30 lbs  
 40.00 gr. Sec. corner B. Oak 5 S 1 W 8  
 Beech 6 S 70 E 14



80.00 Set post corner of Sec. 5, 6, 7, 8  
N. Oak 20 S 52 E  
do 24 N 26 W 18  
Sand the same  
East Between Sec. 5 & 18 on Danabone  
40.00 Temporary gr. sec. post  
80.60 Intersected N. W. line 25 lbs. S. of corner  
Sand the same  
West Corrected  
40.30 gr. sec. corner B. Oak 8 N 25 E 6  
do 4 N 36 W 3  
80.60 Section corner  
North Between Sec. 5 & 18  
38.00 A. W. Oak 30 in. diam.  
40.00 gr. sec. corner N. Oak 15 S 88 W 13  
Spruce 10 S 1 E 15  
81.79 Set post on West Boundary 6 1/2 lbs. S. of corner  
N. Oak 20 N 50 W 15  
B. Oak 10 N 37 E 25  
Sand very hilly, thin soil. Oak & Hickory  
West Between Sec. 5 & 18  
40.00 gr. sec. corner Sugar 5 N 29 W 8  
Spruce 5 S 32 E 11  
74.93 Set post on W. Boundary 130 lbs. South of corner  
Maple 15 S 80 W 6  
Birch 18 N 62 E 18  
Sand the same  
West Between Sec. 6 & 7  
40.00 gr. sec. corner N. Oak 15 S 15 E 7  
B. Oak 8 N 51 W 22  
74.90 Set post on West Boundary 1 3/4 lbs. S. of corner  
N. Oak 15 N 47 E 7  
do 20 N 35 W 23  
Sand the same

West Between Sec. 18 & 19  
30.20 A. W. Oak 30 in. diam.  
40.00 gr. sec. corner N. Oak 8 N 6 E 2  
Hickory 10 S 26 W 3  
75.75 Set post on W. Boundary 1 3/4 lbs. S. of corner  
B. Oak 25 N 45 E 25  
Birch 30 S 22 W 50  
Sand the same  
West Between Sec. 19 & 30  
40.00 gr. sec. corner Spruce 4 N 48 W 11  
do 4 S 18 W 15  
74.65 Set post on W. Boundary 6 1/2 lbs. S. of corner  
N. Oak 12 N 72 E 41  
do 15 S 11 W 21  
Sand the same  
West Between Sec. 30 & 31  
40.00 gr. sec. corner B. Oak 20 South 1  
74.65 Set post on W. Boundary 45 lbs. S. of corner  
Birch 26 S 58 E 24  
Sugar 12 N 45 W 31  
Sand the same, Spruce by Arthur Menne D.S.  
North of the Old Indian Boundary  
East Between Sec. 18 & 12  
11.96 Across Indian boundary  
32.14 A. W. Oak 30 in. diam.  
40.00 Temporary gr. sec. post  
62.50 A. W. Oak 11 in. diam.  
68.75 A. Birch 10 lbs S 20 E  
78.50 Intersected East Boundary on Range  
line 402 lbs. South of post corner Sec.  
N. 6 1/4 in the west Township  
B. Oak 26 S 46 W 5  
N. Oak 12 N 10 E 6  
Unknown poor land N. W. Oak. Map  
Spruce & Sugar

West Between Sec. 1 & 12 on town line  
39.25 gr. sec. corner N. Oak 14 S 51 W 28  
Ash 12 N 1 E 27  
N. Oak 8.90 Across boundary line  
32.50 A. W. Oak 30 in. diam.  
40.00 gr. sec. corner B. Oak 15 S 23 E 23  
do 16 N 33 W 24  
51.50 A. B. Oak 32 in. diam.  
80.50 Intersected North Boundary 5 1/2 lbs. N. of corner  
N. Oak 16 N 14 E 55  
do 24 S 34 W 52  
Unknown poor land N. W. Oak & Hickory  
Maple Dogwood  
North Between Sec. 2 & 3  
Commenced on boundary line  
7.36 Intersected North Boundary 6 1/2 lbs. S. of corner  
West of post corner to Sec. 34 & 35  
Set post on town line N. Oak 15 N 7 W 54  
N. Oak 17 S 37 W 35  
Succeeded by James Hedgys D. S.



T 7 N

R 3 E





**Office of the Monroe County Surveyor**  
**Trohn Enright-Randolph**

---

Health Services Building  
119 West 7<sup>th</sup> Street  
Bloomington, IN 47404  
Phone: (812) 349-2570

Dear User,

The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Brown County are stored on microfilm Reel 5923 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at [SurveyorsOffice@co.monroe.in.us](mailto:SurveyorsOffice@co.monroe.in.us) to request a higher quality image of any specific page.


The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.

Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.

If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.

Trohn Enright-Randolph  
Monroe County Surveyor





Township N. VII North of the Base Line, Range N. E. East of the 2nd Meridian. Surveyed by A. Henrie 1815  
James Hedges. 1819

Description of the Soil on the interior Sectional lines.

Between Sections	Quality &c.	Between Sections	Quality &c.	Between Sections	Quality &c.
35.36	Land hilly - Timber Oak, Hickory & Beech - Sugar & Walnut, Oak & Hickory	33.34	Land hilly - Timber Oak & Hickory	31.32	Land hilly thin soil - Timber Oak, Hickory & Sugar
25.36	ditto	27.34	ditto	29.32	ditto
25.26	ditto	27.24	ditto	29.22	ditto
24.26	ditto	26.24	Land Rolling - Timber Same	28.22	ditto
23.24	ditto	21.22	Land level - Timber Poplar, Walnut & Sugar tree	27.22	ditto
13.24	ditto	15.22	Land Rolling - Timber Same	17.22	ditto
13.14	ditto	15.16	ditto	17.18	ditto
11.12	ditto	10.16	ditto	17.8	ditto
1.2	ditto	9.10	Land very hilly - Timber Oak & Hickory	7.8	ditto
12.13	ditto	3.10	ditto	5.8	ditto
34.35	Hilly - Timber - Chestnut, Oak & Gum	3.4	ditto	5.6	ditto
26.35	ditto	32.33	Thin Soil - Timber Same	6.7	ditto
26.25	ditto	28.33	ditto	7.18	ditto
25.26	ditto	28.24	Level Field - Timber Poplar, Beech & Sugar	18.19	ditto
22.23	Rolling - Timber Oak & Hickory	21.25	ditto	19.20	ditto
14.23	ditto	20.21	Land Rolling thin soil - Timber Oak & Hickory	30.31	ditto
14.15	ditto	16.21	ditto		
11.14	ditto	17.16	ditto		
10.11	ditto	9.16	ditto		
7.2	ditto	8.9	ditto		
2.3	ditto	4.9	ditto		
		4.5	ditto		



# Township N. 7 North, Range N. 3 East 2<sup>nd</sup> Mer.

Range line - Var. March 24<sup>th</sup> 1881  
North Between Ranges 3 & 4 East Township 7 North  
On the East of Sec. 36

8.00 A. Brook 5 lbs S. W.  
28.00 A. W. Oak 2 in. diam.  
40.00 gr. Sec. corner W. Oak 15. corner tree  
Beech 10 S 34 E 20  
Spruce 13 N 12 W 40

55.00 A. W. Oak 12 in. diam.  
80.00 Set post corner to Sec. 25 S 36  
W. Oak 20 S 58 E 14  
do 12 N 28 W 21

Hilly Oak land

North On the East Side of Sec. 25  
25.00 A. Brook 8 lbs North  
34.50 A. Brook 12 lbs S. E  
38.00 A. W. Oak 16 in. diam.  
40.00 gr. Sec. corner W. Oak 20 S 61 W 25  
Logwood 5 N 48 E 19

61.00 A. W. Oak 13 in. diam.  
74.50 A. Brook 10 lbs S. E  
80.00 Set post corner to Sec. 24 S 25  
Beech 12 N 64 E 10  
Maple 18 S 44 W 10

Hilly Oak land

North On the East Side of Sec. 24  
40.00 gr. Sec. corner. W. Oak 12 corner tree  
W. Oak 13 N 13 E 27  
Hickory 8 S 20 W 18

46.50 A. Brook 8 lbs East  
61.00 A. Brook 20 in. diam.  
80.00 Set post corner to Sec. 13 N 24  
Beech 10 N 75 W 14  
do 15 S 36 E 44

Poor hilly Oak & Hickory land

North On the East Side of Sec. 13  
15.00 A. Chesnut Oak 15 in. diam.  
20.00 A. Brook 6 lbs S. W.  
40.00 gr. Sec. corner W. Oak 8 S 50 E 11  
do 4 S 4 W 5

40.50 A. Brook 15 lbs West  
60.00 A. W. Oak 18 in. diam.  
80.00 Set post corner to Sec. 12 N 13  
Poor Hilly Oak & Oak land

North On the East Side of Sec. 12  
2.50 A. Brook 5 lbs West  
8.25 A. Brook 15 in. diam.  
30.75 A. Post on Boundary line

Sub 14 S 12 E 44

Beech 13 S 77 E 18

Land of Medding quality. Oak. Beech & L.  
Surveyed by Alex. Holmes D. L.

North On the East Boundary  
13.50 gr. Sec. corner W. Oak 12 S 53 W 24  
Oak Oak 20 S 31 E 7

39.30 A. Brook 25 lbs S. E  
53.00 North of Boundary of Sec. 10 N 12  
W. Oak 10 S 31 W 26  
Hickory 8 S 53.30 E 14

Hilly land. Timber. Oak. Hickory. Beech  
Hugly Softwoods

Surveyed by John M. Donald D. L.

North On E. side of Sec. 1.  
4.10 Branch 5 E. wide. Course W.  
40.00 Set gr. post from which  
W. Oak 13 S 68 1/2 E. 42 1/2  
do 20 N 53 W 55  
80.00 Set post cor to Towns 7 & 8 N. 20  
38 1/2 E. from which  
W. Oak 24 N. 64 E 41  
Logwood 4 S. 63 W 56.

Broken Land Lumber Oak  
Buck & c

Township Lines  
West Between Townships 6 & 7 Range 3 East  
On the South Side of Sec. 36

10.00 A. Brook 3 lbs South  
17.50 A. Poplar 36 in. diam.  
31.00 A. Brook 50 lbs South  
35.00 Soft Brook

40.00 gr. Sec. corner Beech 18 S 65 E 26  
do 18 S 56 W 30  
80.00 Set post corner of Sec. 35 S 36  
W. Oak 16 S 30 E 12  
do 12 S 83 W 47

Hilly Poor land. Beech. Oak & L.

West On the South Side of Sec. 35  
5.50 A. Brook 5 lbs South  
27.00 A. Brook 5 lbs S. E  
40.00 gr. Sec. corner Spruce 30 S 42 W 11  
Beech 8 S 89 E 29

80.00 Set post corner to Sec. 34 S 35  
W. Oak 12 S 40 W 14  
Spruce 16 S 35 E 28

Hilly Poor Oak land & Spruce

West On the South Side of Sec. 34  
26.00 A. Brook 3 lbs South  
40.00 gr. Sec. corner Ches. Oak 12 S 64 E 8  
do 14 S 30 W 19

49.00 A. Brook 4 lbs South  
50.00 A. W. Oak 16 in. diam.  
72.00 A. Brook 3 lbs South  
80.00 Set post corner of Sec. 33 S 34  
Beech Oak 24 S 61 E 30  
W. Oak 8 S 8 W 24

Land & timber as above

West On the South Side of Sec. 33  
30.00 A. Brook 3 lbs South  
35.00 Same South  
40.00 gr. Sec. corner W. Oak 14 S 42 E 4  
do 14 S 3 W 12

50.00 A. Brook 3 lbs South  
80.00 Set post corner to Sec. 32 S 33  
Beech 18 S 65 E 33  
do 18 S 50 W 40

Land hilly Stony & Poor Oak. Chesnut & L.

West On the South Side of Sec. 32  
1.00 A. Brook 4 lbs South  
24.00 A. Brook 4 lbs South  
28.00 A. Brook 3 lbs South  
40.00 gr. Sec. corner W. Oak 8 S 44 E 13  
Beech 8 S 85 W 16

65.00 A. Brook 5 lbs East  
80.00 Set post corner to Sec. 31 S 32  
Maple 18 S 53 W 7  
do Oak 8 S 57 E 13

Just a hilly Stony Oak land. Last 2  
level Beech land

West On the South Side of Sec. 31  
18.00 A. Brook 100 lbs North  
40.00 gr. Sec. corner W. Oak 12 S 43 E 20  
Beech 12 S 60 W 12

50.00 A. Brook 10 lbs North  
80.00 Set Temporary post  
First half level Bottoms land. Last half  
Hilly Oak land

Surveyed by Alex. Holmes D. L.



Subdivisions of Township N<sup>o</sup> 7 Range 3 E

North Between Sec<sup>s</sup> 35 & 36  
 40.00 gr. Sec. Corner Oak 10 S 4 W 14  
 do 15 S 36 E 23  
 40.00 A. Brook 12 lbs S. E.  
 80.00 Set post corner to Sec<sup>s</sup> 25, 26, 35, 36  
 Beech 10 S 65 E 13  
 do 18 S 13 E 9  
 Land Milly. Oak, Hickory & Beech, 100 ft. Logwood  
 East Between Sec<sup>s</sup> 25 & 36 On Random  
 34.00 A. Brook 10 lbs South  
 40.00 Temporary gr. Sec. post  
 79.90 Intersected N & S line at Sec. corner  
 Land as above  
 West Corrected  
 39.95 gr. Sec. corner Beech 12 East 5  
 no other trees noted  
 40.00 Section corner  
 North Between Sec<sup>s</sup> 25 & 26  
 40.00 gr. Sec. corner Beech 18 S 42 W 13  
 do 6 S 78 E 29  
 45.15 A. D. Oak 20 in. diam.  
 80.00 Set post corner to Sec<sup>s</sup> 23, 24, 25, 26  
 W. Oak 8 S 17 W 9  
 Hickory 7 S 32 E 13  
 Land the Same  
 East Between Sec<sup>s</sup> 24 & 25 On Random  
 22.00 A. Brook S. E.  
 40.00 Temporary gr. Sec. post  
 80.14 Intersected N & S line 88 lbs South of corner  
 Land the Same  
 West Corrected  
 40.07 gr. Sec. corner Beech 8 S 80 E 13  
 do 10 S 9 W 20  
 80.14 Section corner

North Between Sec<sup>s</sup> 23 & 24  
 40.00 gr. Sec. corner Beech 12 S 65 E 28  
 Sugar 15 S 77 E 24  
 80.00 Set post corner to Sec<sup>s</sup> 13, 14, 23, 24  
 W. Oak 20 S 26 E 8  
 Beech 12 S 56 W 11  
 Land Milly. Oak, Hickory & Beech, 100 ft. Logwood  
 East Between Sec<sup>s</sup> 13 & 24 On Random  
 40.00 Temporary gr. Sec. post  
 80.00 Intersected N & S line, 36 lbs S. of corner  
 Land the Same  
 West Corrected  
 40.00 gr. Sec. corner Beech 8 S 60 E 13  
 do 10 S 53 W 8  
 80.00 Section corner  
 North Between Sec<sup>s</sup> 13 & 14  
 4.00 A. Brook 20 lbs West  
 40.00 gr. Sec. corner Beech 15 S 56 W 13  
 Hickory 12 S 30 W 19  
 46.00 A. Brook 12 lbs West  
 80.00 Set post corner of Sec<sup>s</sup> 11, 12, 13, 14  
 Beech 20 S 48 W 35  
 do 10 S 18 W 32  
 Land the Same  
 North Between Sec<sup>s</sup> 11 & 12  
 30.00 A. D. Oak 20 in. diam.  
 40.00 gr. Sec. corner B. Oak 20 S 37 W 8  
 do S 16 E 23  
 80.00 Set post corner of Sec<sup>s</sup> 1, 2, 11, 12  
 W. Oak 12 S 30 E 13  
 B. Oak 20 S 56 W 16  
 Land the Same  
 North Between Sec<sup>s</sup> 1 & 2  
 8.90 Set post on the Boundary,  
 W. Oak 22 S 72 W 25. do 12 S 14 W 22  
 Land the Same

East Between Sec<sup>s</sup> 1 & 12  
 4.96 Set post on the Boundary  
 Ironwood 8 S 77 W 7  
 Hickory 10 S 58 W 44  
 Land the Same  
 East Between Sec<sup>s</sup> 12 & 13 On Random  
 40.00 Temporary gr. Sec. post  
 72.00 A. Brook 12 lbs South  
 78.69 Intersected N & S line at Sec. corner  
 Land the Same  
 West Corrected  
 39.34 gr. Sec. corner Sugar 12 S 54 E 13  
 Beech 12 S 21 E 31  
 78.69 Section corner  
 North Between Sec<sup>s</sup> 34 & 35  
 40.00 gr. Sec. corner Oak 20 S 60 E 7  
 Hickory 3 S 23 E 16  
 80.00 Set post corner of Sec<sup>s</sup> 26, 27, 34, 35  
 Gum 20 S 70 W 18  
 Beech 6 S 17 W 18  
 Land Milly. Oak, Ches. Oak & Gum  
 East Between Sec<sup>s</sup> 26 & 35 On Random  
 40.00 Temporary gr. Sec. post  
 79.00 A. Brook 10 lbs South  
 80.34 Intersected N & S line, 36 lbs S. of corner  
 Land the Same  
 West Corrected  
 40.17 gr. Sec. corner W. Oak 24 S 18 E 14  
 Beech 12 S 63 E 34  
 80.34 Section corner  
 North Between Sec<sup>s</sup> 26 & 27  
 40.00 gr. Sec. corner B. Oak 10 S 14 E 23  
 Beech 3 S 45 E

80.00 Set post corner of Sec<sup>s</sup> 22, 23, 26, 27  
 Sugar 10 S 40 E 9  
 Hickory 3 S 72 W 5  
 Land the Same  
 East Between Sec<sup>s</sup> 23 & 26 On Random  
 40.00 Temporary gr. Sec. post  
 80.27 Intersected N & S line, 56 lbs South of corner  
 Land the Same  
 West Corrected  
 40.18 gr. Sec. corner Ches. Oak 18 S 65 E 15  
 do 20 S 17 E 28  
 80.27 Section corner  
 North Between Sec<sup>s</sup> 22 & 23  
 19.50 A. M. Oak 18 in. diam.  
 40.00 gr. Sec. corner Beech 20 S 63 E 10  
 do 3 S 19 E 12  
 63.50 A. Brook 30 lbs West  
 80.00 Set post corner of Sec<sup>s</sup> 14, 15, 22, 23  
 W. Walnut 4 S 11 E 18  
 do 3 S 16 E 10  
 Land Rolling Oak & Hickory  
 East Between Sec<sup>s</sup> 14 & 23 On Random  
 20.00 A. Brook 20 lbs S. W  
 40.00 Temporary gr. Sec. post  
 60.00 A. Brook 15 lbs S. W  
 80.50 Intersected N & S line, 50 lbs South of corner  
 Land the Same  
 West Corrected  
 40.25 gr. Sec. corner Sugar 12 S 58 E 11  
 Gum 10 S 75 W 18  
 80.50 Section corner  
 North Between Sec<sup>s</sup> 14 & 15  
 40.00 gr. Sec. corner W. Oak 20 S 39 W 19  
 Gum 8 S 14 E 23



55.50 A. Brook 10 lbs S.W.  
 80.00 Set post corner of Sec. 10, 11, 14, 15  
 June 15 St 63, 15 23  
 Ironwood St 81 E 14  
 Land Rolling, Timber Oak & Hickory  
 East Between Sec. 11 & 14 On Dandelion  
 40.00 Temporary gr. Sec. post  
 80.39 Intersected St & S line 20 lbs South of corner  
 Land the same  
 West corrected  
 40.19 1/2 gr. Sec. corner Oak 24 St 26 N 72  
 Beech 5 St 1 N 24  
 80.89 Section corner  
 North Between Sec. 10 & 11  
 40.50 gr. Sec. corner Dogwood 4 St 11 E 12  
 W. Oak 5 St 4 N 14  
 80.00 Set post corner of Sec. 2, 3, 10, 11  
 W. Oak 15 West 16  
 do 24 St 32 N 21  
 Land the same  
 East Between Sec. 2 & 11 On Dandelion  
 40.00 Temporary gr. Sec. post  
 80.45 Intersected St & S line 29 lbs South of corner  
 Land the same  
 West corrected  
 40.22 1/2 gr. Sec. corner Hickory 10 St 70 E 10  
 W. Oak 30 St 43 N 7  
 80.45 Section corner  
 North Between Sec. 2 & 3  
 40.00 gr. Sec. corner W. Oak 20 St 39 E 24  
 do 8 St 19 N 74  
 72.37 Set post on the North Boundary of section  
 corner W. Oak 20 St 40 N 2  
 do 15 St 47 E 7  
 Land the same

North Between Sec. 33 & 34  
 40.00 gr. Sec. corner June 12 St 50 E 16  
 Ironwood 3 St 58 N 4  
 80.00 Set post corner of Sec. 27, 28, 33, 34  
 W. Oak St 13 N 17  
 Sugar 12 St 35 N 28  
 Land Rolling, Timber Oak & Hickory  
 East Between Sec. 27 & 34 On Dandelion  
 40.00 Temporary gr. Sec. post  
 80.00 Intersected St & S line 8 lbs S. of corner  
 Land the same  
 West corrected  
 40.00 gr. Sec. corner Beech 10 St 40 N 3  
 do 3 St 56 E 13  
 80.00 Section corner  
 North Between Sec. 27 & 28  
 40.00 gr. Sec. corner W. Oak 8 St 8 N 8  
 Beech 12 St 86 E 22  
 50.00 A. Brook 50 lbs S.W.  
 80.00 Set post corner of Sec. 21, 22, 27, 28  
 Beech 3 St 41 W  
 W. Oak 26 St 84 E 31  
 Land the same  
 East Between Sec. 22 & 27 On Dandelion  
 40.00 Set temporary gr. Sec. post  
 42.00 A. Brook 30 lbs S.W.  
 77.33 Intersected St & S line 19 lbs S. of corner  
 Land Rolling, Oak & Hickory  
 West corrected  
 39.66 1/2 gr. Sec. corner Elm & 3 East 1  
 77.22 Section corner  
 North Between Sec. 21 & 22  
 40.00 gr. Sec. corner Ironwood 3 St 35 N 22  
 do 3 St 69 E 4

10.00 Set post corner of Sec. 15, 16, 21, 22  
 Walnut 10 St 51 E 9  
 Elm 10 St 12 N 10  
 Land Oak, Poplar, Walnut & Sugar  
 East Between Sec. 15 & 22 On Dandelion  
 2.00 A. Brook 15 lbs S.E.  
 40.00 Temporary gr. Sec. post  
 77.20 Intersected St & S line of the North of corner  
 Land Rolling, Poplar, Walnut & Sugar  
 West corrected  
 39.70 gr. Sec. corner Oak 10 St 58 N 12  
 W. Oak 20 St 45 E 9  
 77.20 Section corner  
 North Between Sec. 15 & 16  
 35.00 A. Brook 15 lbs S.E.  
 40.00 gr. Sec. corner Ironwood 3 St 35 N 22  
 Beech 20 St 58 E 24  
 45.00 A. W. Oak 36 in. diam.  
 80.00 Set post corner of Sec. 9, 10, 15, 16  
 Hickory 2 St 5 E 15  
 do 5 St 19 N 5  
 Land & Timber the same  
 East Between Sec. 10 & 15 On Dandelion  
 24.00 A. Brook 9 lbs South  
 40.00 Temporary gr. Sec. post  
 77.50 Intersected St & S line 9 lbs S. of corner  
 Land the same  
 West corrected  
 39.75 gr. Sec. corner W. Oak 20 St 4 E 29  
 do 12 St 8 N 10  
 77.50 Section corner  
 North Between Sec. 9 & 10  
 40.00 gr. Sec. corner Oak 30 St 2 N 21  
 Maple 8 St 41 N 5

80.00 Set post corner of Sec. 3, 4, 9, 10  
 Walnut Oak 20 corner tree  
 do other tree marked  
 Land very little timber Oak & Poplar  
 East Between Sec. 3 & 10 On Dandelion  
 40.00 Temporary gr. Sec. post  
 79.00 Intersected St & S line 30 lbs South of corner  
 Land the same  
 West corrected  
 39.00 gr. Sec. corner Ironwood 8 St 4 E 10  
 W. Oak 2 St 3 N 7  
 79.00 Section corner  
 North Between Sec. 3 & 4  
 40.00 gr. Sec. corner Hickory 8 St 20 E 12  
 W. Oak 6 St 44 N 74  
 80.42 Set post on the North Boundary of Sec. 10 & 15 of corner  
 Beech 20 St 45 N 24  
 W. Oak 5 St 30 E 24  
 Land the same  
 North Between Sec. 32 & 33  
 40.00 gr. Sec. corner W. Oak 8 corner tree  
 80.00 Set post corner of Sec. 23, 24, 32, 33  
 Chestnut 8 St 26 N 12  
 do 10 St 2 E 12  
 Land little timber under the same  
 East Between Sec. 23 & 33 On Dandelion  
 40.00 Temporary gr. Sec. post  
 48.00 A. Brook 20 lbs South  
 42.00 A. Brook 13 lbs S.E.  
 80.00 Intersected St & S line 10 lbs South of corner  
 Land the same  
 West corrected  
 40.00 gr. Sec. corner Sugar 13 St 54 E 7  
 Ironwood 3 St 3 E 4  
 80.00 Section corner



North Between Sec<sup>s</sup> 28 & 29  
 40.00 gr. Sec. Corner Beech 3 ft 16 E 17  
 do 15 ft 59 N 17  
 50.00 H. Brook 100 lbs S. W  
 80.00 Set post corner to Sec<sup>s</sup> 20, 21, 28, 29  
 Beech 10 Corner tree  
 No other trees noted  
 Sand level & Rich, Poplar, Beech, Sugar P.  
 East Between Sec<sup>s</sup> 21 & 28 On Random  
 29.00 H. Brook 12 lbs S. E  
 40.00 Temporary gr. Sec. post  
 79.00 Intersected N & S line 10 lbs N. of corner  
 Sand the same  
 West Corrected  
 39.50 gr. Sec. corner Beech 25 ft 45 N 8  
 do 12 ft 47 E 14  
 79.00 Section corner  
 North Between Sec<sup>s</sup> 20 & 21  
 40.00 gr. Sec. corner W. Oak 12 ft 54 E 17  
 do 15 ft 67 N 33  
 80.00 Set post corner of Sec<sup>s</sup> 16, 17, 20, 21  
 B. Oak 3 ft 36 E 20  
 W. Oak 15 ft 43 N 20  
 Sand Nothing thin Soil. Oak & Hickory  
 East Between Sec<sup>s</sup> 16 & 21 On Random  
 40.00 Temporary gr. Sec. post  
 79.80 Intersected N & S line 2 ft 1/2 lbs South of corner  
 Sand the same  
 West Corrected  
 39.90 gr. Sec. corner B. Oak 12 ft 40 N 20  
 do 10 ft 46 E 17  
 79.80 Section corner

North Between Sec<sup>s</sup> 16 & 17  
 39.00 H. Sugar 20 in. diam.  
 40.00 gr. Sec. corner Beech 15 ft 45 N 30  
 do 15 ft 49 N 35  
 80.00 Set post corner of Sec<sup>s</sup> 8, 9, 16, 17  
 B. Oak 30 ft 13 E 21  
 Poplar 5 ft 27 E 9  
 Sand Nothing thin Soil. Oak & Gum  
 East Between Sec<sup>s</sup> 9 & 16 On Random  
 40.00 Temporary gr. Sec. post  
 80.12 Intersected N & S line 3 ft 1/2 lbs S. of corner  
 Sand the same  
 West Corrected  
 40.06 gr. Sec. corner Burr. Oak 17 ft 8 N 14  
 W. Oak 20 ft 9 E 39  
 80.12 Section corner  
 North Between Sec<sup>s</sup> 8 & 9  
 17.11 H. Beech 15 in. diam.  
 40.00 gr. Sec. corner B. Oak 8 ft 22 E 11  
 do 10 ft 61 E 21  
 80.00 Set post corner of Sec<sup>s</sup> 4, 5, 8, 9  
 B. Oak 1 ft 8 N 18  
 Hickory 6 ft 66 N 15  
 Sand the same  
 East Between Sec<sup>s</sup> 4 & 9 On Random  
 40.00 Temporary gr. Sec. post  
 79.87 Intersected N & S line 22 lbs S. of corner  
 Sand the same  
 West Corrected  
 39.83 gr. Sec. corner W. Oak 15 ft 24 E 5  
 do 15 ft 35 N 16  
 79.87 Section corner  
 North Between Sec<sup>s</sup> 4 & 5  
 10.40 H. B. Oak 25 in. diam.

40.00 gr. Sec. corner B. Oak 15 ft 35 E 12  
 Hickory 12 ft 80 E 7  
 80.55 Set post on the boundary 600 lbs N. of corner  
 B. Oak 10 ft 15  
 do 8 ft 79 E 14  
 Sand the same  
 North Between Sec<sup>s</sup> 31 & 32  
 40.00 gr. Sec. corner W. Walnut 8 ft 14 N 18  
 Poplar 3 ft 43 E 8  
 80.00 Set post corner of Sec<sup>s</sup> 29, 30, 31, 32  
 Hickory 31 South 1  
 Sand Hilly thin Soil. Oak, Hickory & Poplar  
 East Between Sec<sup>s</sup> 29 & 32 On Random  
 40.00 Temporary gr. Sec. post  
 80.00 Intersected N & S line 10 lbs S. of corner  
 Sand the same  
 West Corrected  
 40.00 gr. Sec. corner Hickory 3 ft 9 E 9  
 Poplar 3 ft 65 E 7  
 80.00 Section corner  
 North Between Sec<sup>s</sup> 29 & 30  
 40.00 gr. Sec. corner W. Oak 15 ft 25 E 5  
 do 10 ft 53 N 16  
 60.00 H. Brook 75 lbs S. W  
 80.00 Set post corner of Sec<sup>s</sup> 29, 30, 29, 30  
 Maple 6 ft 89 N 4  
 do 6 ft 78 E 23  
 Sand the same  
 East Between Sec<sup>s</sup> 20 & 29 On Random  
 40.00 Temporary gr. Sec. post  
 79.70 Intersected N & S line 33 lbs N. of corner  
 Sand the same  
 West Corrected  
 39.85 gr. Sec. corner Poplar 3 ft 17 E 23  
 do 6 ft 12 E 31  
 79.20 Section corner

North Between Sec<sup>s</sup> 19 & 20  
 40.00 gr. Sec. corner Beech 3 ft 28 N 7  
 do 3 ft 10 E 8  
 80.00 Set post corner to Sec<sup>s</sup> 17, 18, 19, 20  
 B. Oak 20 ft 75 E 19  
 W. Oak 15 ft 43 E 27  
 Sand the same  
 East Between Sec<sup>s</sup> 17 & 20 On Random  
 40.00 Temporary gr. Sec. post  
 79.10 Intersected N & S line 50 lbs North of corner  
 Sand the same  
 West Corrected  
 39.55 gr. Sec. corner Chest. Oak 22 ft 2 N 18  
 do 25 ft 75 E 25  
 79.10 Section corner  
 North Between Sec<sup>s</sup> 17 & 18  
 40.00 gr. Sec. corner B. Oak 8 ft 23 E 11  
 do 8 ft 81 N 16  
 80.00 Set post corner of Sec<sup>s</sup> 7, 8, 17, 18  
 Chest. Oak 20 ft 46 E 23  
 Beech 15 ft 8 N 30  
 Sand the same  
 East Between Sec<sup>s</sup> 8 & 17 On Random  
 40.00 Temporary gr. Sec. post  
 80.59 Intersected N & S line 22 lbs North of corner  
 Sand the same  
 West Corrected  
 40.29 gr. Sec. corner B. Oak 18 ft 41 N 15  
 do 10 ft 60 E 11  
 80.59 Section corner  
 North Between Sec<sup>s</sup> 7 & 18  
 15.00 H. Brook 30 lbs  
 40.00 gr. Sec. corner B. Oak 5 ft 1 N 8  
 Beech 6 ft 70 E 14



80.00 Set post corner of Sec. 5, 6, 7, 8  
W. Oak 20 S 52 E  
do 24 N 26 W 18

Sound the same  
East Between Sec. 5 & 8 on Range line

40.00 Temporary gr. Sec. post  
80.60 Intersected N. Line 25 lbs. S. of corner  
Sound the same

West Corrected  
40.30 gr. Sec. corner B. Oak 8 N 25 E 6  
do 4 N 36 W 3

80.60 Section corner  
North Between Sec. 5 & 8  
35.00 A. W. Oak 30 in. diam.

40.00 gr. Sec. corner W. Oak 15 S 88 W 13  
Spruce 10 S 1 E 15

81.79 Set post on West Boundary 6 1/2 lbs. S. of corner  
W. Oak 20 N 50 W 15  
B. Oak 10 N 37 E 25

Sound very hilly, thin soil. Oak & Hickory  
West Between Sec. 7 & 8

40.00 gr. Sec. corner Sugar 8 N 29 W 8  
Ironwood 5 S 32 E 11

74.93 Set post on W. Boundary 130 lbs. S. of corner  
Maple 18 S 80 W 6  
Beech 18 N 62 E 18

Sound the same

West Between Sec. 6 & 7  
40.00 gr. Sec. corner W. Oak 15 S 15 E 7  
B. Oak 8 N 81 W 22

74.90 Set post on West Boundary 1 3/4 lbs. S. of corner  
W. Oak 15 N 47 E 7  
do 20 S 35 W 23

Sound the same

West Between Sec. 18 & 19  
30.20 A. W. Oak 30 in. diam.  
40.00 gr. Sec. corner W. Oak 8 N 6 E 2  
Hickory 10 S 26 W 3

75.75 Set post on W. Boundary 1 3/4 lbs. S. of corner  
B. Oak 25 N 45 E 25  
Beech 30 S 22 W 50

Sound the same

West Between Sec. 19 & 30  
40.00 gr. Sec. corner Ironwood 4 N 48 W 11  
do 4 S 18 W 15

74.65 Set post on W. Boundary 6 1/2 lbs. S. of corner  
W. Oak 12 N 72 E 41  
do 15 S 11 W 21

Sound the same

West Between Sec. 30 & 31  
40.00 gr. Sec. corner B. Oak 20 South 1  
74.00 Set post on W. Boundary 45 lbs. S. of corner  
Beech 26 S 58 E 24  
Sugar 12 N 45 W 31

Sound the same Survey by Arthur Howe 23

22.6.187 North of the Old Indian Boundary  
East Between Sec. 1 & 12

11.96 Across Indian boundary  
33.14 A. B. Oak 30 in. diam.  
40.00 Temporary gr. Sec. post

62.50 A. W. Oak 11 in. diam.  
68.75 A. Brook 10 lbs S 40 E

78.50 Intersected East Boundary on Range  
line 4.02 lbs. South of post corner Sec.  
N. 6 1/4 in the next Township  
B. Oak 26 S 40 W 5  
W. Oak 12 N 10 E 6

Unclear poor land W. B. Oak. High  
Dogwood & Sassafras

West Between Sec. 1 & 12 on Range line  
39.25 gr. Sec. corner W. Oak 14 S 1 W 28  
Ash 12 N 1 E 27

North 8.90 Graded boundary line  
32.50 A. W. Oak 30 in. diam.  
40.00 gr. Sec. corner B. Oak 15 S 23 E 23  
do 16 S 35 W 24

51.50 A. B. Oak 22 in. diam.  
80.50 Intersected North Boundary 5 1/2 lbs. N of corner  
W. Oak 16 N 14 E 35  
do 24 S 34 W 52

Unclear poor land. W. B. Oak & Hickory  
High Dogwood  
North Between Sec. 2 & 3

Commenced on boundary line  
9.36 Intersected North Boundary 6 1/2 lbs. S. of corner  
West of post corner to Sec. 34 & 35  
Set post on town line W. Oak 15 N 4 W 54  
W. Oak 17 S 57 W 35

Surveyed by James Bridges & S.